# **AREA CALCULATIONS**

1. Total site area= 1738.17m²2. Total Gross Area= 1107 m²3. Footprint Area= 396.7 m²


4. Total achieved plot coverage = 23%

5. 6 Appartments


6. 12 Parking spaces

Sofiane 2001000 che
PA 152
ARCHITECTE DPLG

FOR PERMIT
KZ Architects Ltd
BRN: C10096300
VAT NO: 27029320



REMARKS / NOTES :	INDEX	DATE	ISSUED TO	DATE	15-11-2022	SCALE:	1/250	CLIENT:		Notes:  1. ALL DIMENSIONS ARE IN MM.
				DRWG. N	0. S-001	FILE NO:	2020-01	M. RODERICK ROBERT DE LAUNAY MC GREGOR	KZ Architects	WRITTEN DIMENSION TO BE FOLLOWED.     CONTRACTOR IS TO VERIFY ALL DIMENSIONS BE WORK IS PUT IN HAND.
					3-001	REVISION:	P0	PROJECT: APARTMENTS @	AZ ASSINISSIS	ANY DISCREPENCIES TO BE BROUGHT TO IMME NOTICE OF THE ARCHITECT.
				CHECKE	D BY: DRAWN BY	VAT NO:	27029320	DRAWING: SITE PLAN		5. THIS DRAWING IS A PROPERTY OF KZ-ARCHITEC THE DRAWING AS A WHOLE OR ANY PARTS THEREOE SHALL NOT BE REPRODUCED OR USS
						PAC REG NO	D: 152		7 rue des Frangipaniers, La Gaulette E-mail: kz-architects@orange.mi Tel: 230 - 451 5122, Fax: 230 - 451 5122	PRIOR PERMISSION OF THE COMPANY .



- . All levels & dims shown should be checked on site before constructio
- 2. This drawing is to be read in conjunction with Eng's drawings.
- 3. This drawing is to be read in conjunction with Engineer's drawings Double layer bituminous waterproofing membrane to screed flat and slopping slabs and to side of up stand according with
  - 5. All rainwater down pipes are in Dia. 110mm PVC except when otherwise mentioned
  - 6. Columns have 25mm chamfer on edge
  - 7. All screed of all Terraces & balconies to slope towards rain water pipe or "pissettes"
- 8. Sill height is taken from internal SFL otherwise
- 9. All dimensions mentioned exclude 15 mm thick rendering internal and 20 mm thick external.

#### LEGEND:

FGT Fiberglass Septic Tank MH Manhole GrT Grease Trap SA Soak away RWP Rainwater pipe

Gully Trap Catchpit

Ø75mm high pressure drain pipe in columns

as per M&E specifications Sill height

Window height

#### FLOOR LEVELS LEGEND

FFL→ +40

### NOTE:

SFL Established Structural Level for the floor FFL Established Finishing Level for the floor

Indicates Finished level at the given spot relative to FFL [xxx mm above FFL]

AREA OF LAND

Plot of land: 1738.17 sqm

GROSS AREA

Ground Floor: 196.5 sqm Terraces @ 100%: 44.4 sqm

Total: 240.9 sqm Plot coverage

Total : 17%

### DRAWING FOR PERMIT

Date: 26/11/2020

Revision/Issued:

No.	Description	Revised By	Check By	Date
P0				

# M. RODERICK ROBERT DE LAUNAY MC GREGOR

APARTMENTS @ RIVIERE NOIRE

DRAWING DESCRIPTION

BASEMENT FLOOR PLAN

PAGE FORMAT SCALE REVISION F.L KZA 1:150 P0 PROJECT NUMBER 2020-01


DRAWING NUMBER

A-001

KZ Architects

- ◆7 rue des Frangipaniers, La Gaulette E-mail: kz-architects@orange.mu
- ■The Hive,Industrial Road, St pierre
- •Tel: 230 451 5122, Fax: 230 451 5122
- **◆VAT NO: 27029320 ◆PAC REG NO: 152**





- . All levels & dims shown should be checked on site before construction
- 2. This drawing is to be read in conjunction with Eng's drawings.
- 3. This drawing is to be read in conjunction with Engineer's drawings Double layer bituminous waterproofing membrane to screed flat and slopping slabs and to side of up stand according with
- 5. All rainwater down pipes are in Dia. 110mm PVC except when
- 6. Columns have 25mm chamfer on edge
- 7. All screed of all Terraces & balconies to slope towards rain water pipe or "pissettes"
- 8. Sill height is taken from internal SFL otherwise
- 9. All dimensions mentioned exclude 15 mm thick rendering internal and 20 mm thick external.

Fiberglass Septic Tank Manhole

Grease Trap Soak away Rainwater pipe Gully Trap

Catchpit Ø75mm high pressure drain

pipe in columns as per M&E specifications

Sill height

Window height

# FLOOR LEVELS LEGEND

SFL Established Structural Level for the floor FFL Established Finishing Level for the floor

FFL (+xxx) Indicates Finished level at the given spot relative to FFL [xxx mm above FFL]

AREA OF LAND

GROSS AREA

Floor: 255.5 sqm

Terraces @ 100%: 130.6 sqm Total : 386.1 sqm

Plot coverage

### DRAWING FOR PERMIT

No.	Description	Revised By	Check By	Date
P0				

M. RODERICK ROBERT DE LAUNAY MC GREGOR

APARTMENTS @ RIVIERE NOIRE

DRAWING DESCRIPTION


UPPER GROUND FLOOR PLAN


Λ 2	FI	K7A	50ALE	DO
AS	F.L	NZA	1:150	P0
PROJECT NUMBE	PROJECT NUMBER			
DRAWING NUMBE	DRAWING NUMBER :			

◆7 rue des Frangipaniers, La Gaulette

■The Hive,Industrial Road, St pierre

•Tel: 230 - 451 5122, Fax: 230 - 451 5122 **◆VAT NO: 27029320 ◆PAC REG NO: 152** 





- . All levels & dims shown should be checked on site before construction
- 2. This drawing is to be read in conjunction with Eng's drawings.
- Double layer bituminous waterproofing membrane to screed flat and slopping slabs and to side of up stand according with
- 5. All rainwater down pipes are in Dia. 110mm PVC except when

- rendering internal and 20 mm thick external.

Ø75mm high pressure drain

as per M&E specifications

SFL Established Structural Level for the floor

P0	No.	Description	By	Check By	Date
	P0				

# M. RODERICK ROBERT DE LAUNAY MC GREGOR

RIVIERE NOIRE


KZA 1:150

SCALE

REVISION

P0

LL DIMENSIONS ARE IN MM. CONTRACTORS NEED TO FOLLOW A LL WRITTEN DIMENSIONS BEFORE NY WORK ON CONSTRUCTION SITE



- . All levels & dims shown should be checked on site before construct
- 2. This drawing is to be read in conjunction with Eng's drawings.
- Double layer bituminous waterproofing membrane to screed flat and slopping slabs and to side of up stand according with

  - towards rain water pipe or "pissettes"

  - rendering internal and 20 mm thick external.

Fiberglass Septic Tank

Rainwater pipe

Ø75mm high pressure drain

as per M&E specifications

Window height

SFL Established Structural Level for the floor

AREA OF LAND

GROSS AREA

Plot coverage

No.	Description	Revised By	Check By	Da
P0				

### M. RODERICK ROBERT DE LAUNAY MC GREGOR

RIVIERE NOIRE


CHECK BY

KZA

1:125 P2

REVISION

SCALE



- Double layer bituminous waterproofing membrane to screed flat and slopping slabs and to side of up stand according with

as per M&E specifications

P0		


### M. RODERICK ROBERT DE LAUNAY MC GREGOR

RIVIERE NOIRE

1:125 P2

REVISION





- . All levels & dims shown should be checked on site before construction
- 2. This drawing is to be read in conjunction with Eng's drawings.
- 3. This drawing is to be read in conjunction with Engineer's drawings Double layer bituminous waterproofing membrane to screed flat and slopping slabs and to side of up stand according with
- Engineer's drawings 5. All rainwater down pipes are in Dia. 110mm PVC except when otherwise mentioned
- 6. Columns have 25mm chamfer on edge
- 7. All screed of all Terraces & balconies to slope towards rain water pipe or "pissettes"
- 8. Sill height is taken from internal SFL otherwise
- 9. All dimensions mentioned exclude 15 mm thick rendering internal and 20 mm thick external.

#### LEGEND:

FGT Fiberglass Septic Tank MH Manhole GrT Grease Trap

SA Soak away RWP Rainwater pipe GT Gully Trap Catchpit

Ø75mm high pressure drain

pipe in columns as per M&E specifications

Sill height

Window height

## FLOOR LEVELS LEGEND

FFL→ +40

### NOTE:

SFL Established Structural Level for the floor

FFL Established Finishing Level for the floor

(FFL (+xxx)) Indicates Finished level at the given spot relative to FFL [xxx mm above FFL]

AREA OF LAND

Plot of land : - sqm

#### GROSS AREA

Ground Floor: 446.1 sqm Terraces @ 50%: - sqm Total : 446.1 sqm

#### Plot coverage

Total : NA

# DRAWING FOR PERMIT

Date: 26/11/2020

\	Rev	Revision/Issued:					
_	No.	Description					
	PO						

No.	Description	Revised By	Check By	Date
P0				
CLIEN	T			

# M. RODERICK ROBERT DE LAUNAY MC GREGOR

PROJECT DESCRIPTION

APARTMENTS @ RIVIERE NOIRE

DRAWING DESCRIPTION

SECTIONS SITE & AA'

PAGE FORMAT	DRAW BY	CHECK BY	SCALE	REVISIO
<b>A3</b>	Z.A	KZA	1:125	P2
PROJECT NUMBE	ER	2020-01		


DRAWING NUMBER

A-301

KZ Architects

- ◆7 rue des Frangipaniers, La Gaulette
- ■The Hive,Industrial Road, St pierre
- •Tel: 230 451 5122, Fax: 230 451 5122
- •VAT NO: 27029320 •PAC REG NO: 152





**SECTION BB'** 

Scale 1:125

- . All levels & dims shown should be checked on site before constructio
- 2. This drawing is to be read in conjunction with Eng's drawings.
- 3. This drawing is to be read in conjunction with Engineer's drawings Double layer bituminous waterproofing membrane to screed flat and slopping slabs and to side of up stand according with
- Engineer's drawings All rainwater down pipes are in Dia. 110mm PVC except when otherwise mentioned
- 6. Columns have 25mm chamfer on edge
- 7. All screed of all Terraces & balconies to slope towards rain water pipe or "pissettes"
- 8. Sill height is taken from internal SFL otherwise
- 9. All dimensions mentioned exclude 15 mm thick rendering internal and 20 mm thick external.

#### LEGEND:

FGT Fiberglass Septic Tank MH Manhole GrT

Grease Trap SA Soak away RWP Rainwater pipe GT Gully Trap

CP Catchpit Ø75mm high pressure drain

pipe in columns

as per M&E specifications Sill height

SL Window height

# FLOOR LEVELS LEGEND

SFL→ +000 FFL→ +40

### NOTE:

SFL Established Structural Level for the floor

FFL Established Finishing Level for the floor

FFL (+xxx) Indicates Finished level at the given spot relative to FFL [xxx mm above FFL]

AREA OF LAND

Plot of land : - sqm GROSS AREA

Ground Floor: 446.1 sqm Terraces @ 50%: - sqm Total : 446.1 sqm

Plot coverage

Total : NA

## DRAWING FOR PERMIT

Date: 26/11/2020

Revisi	on/Issued:			
No.	Description	Revised By	Check By	Date
P0				

# M. RODERICK ROBERT DE LAUNAY MC GREGOR

APARTMENTS @ RIVIERE NOIRE

DRAWING DESCRIPTION

SECTION

PAGE FORMAT	DRAW BY	CHECK BY	SCALE	REVISION
<b>A</b> 3	Z.A	KZA	1:125	P2
PROJECT NUMBER		2020-01		

2020-01

DRAWING NUMBER

A-302

KZ Architects

ALL DIMENSIONS ARE IN MM.
CONTRACTORS NEED TO FOLLOW AND VERIFY
ALL WRITTEN DIMENSIONS BEFORE CARRYING
ANY WORK ON CONSTRUCTION SITE.

- ◆7 rue des Frangipaniers, La Gaulette E-mail: kz-architects@orange.mu
- ■The Hive,Industrial Road, St pierre
- •Tel: 230 451 5122, Fax: 230 451 5122
- ◆VAT NO: 27029320 ◆PAC REG NO: 152